



# WESTERN RED CEDAR GAZEBOS & SHEDS

cedarshed.com EASY-TO-ASSEMBLE DO-IT-YOURSELF KITS

**CS Manufacturing Inc.**  
PO BOX 1019  
Vernon, BC Canada  
V1T 6N2 Canada

Toll Free: 1-800-830-8033 Telephone: 604-881-2855 Facsimile: 604-881-0273 Email: sales@cedarshed.com

Shed Model	Floor Size	Inside Height	Outside Height	OutsideSizeWxD	Door Opening	Window Opening	Weight
4x2 Gardners Hutch	46" x 19 ¼"	65"(B) 62"(F)	69 ¼" (B) 65 ¼" (F)	48 ¼" x 22 ¼"	42" x 60"	-	190 lbs
4x4 Greenpod	46" x 38 ½"	67"	69"	48 ¼" x 40"	42" x 60"	-	290 lbs
6x3 Bayside	74" x 34 ½"	83 ½"(B) 75 ½"(F)	87"(B) 81 ½"(F)	85 ½" x 42"	30" x 71"	17 ¾" x 27"	515 lbs
8x3 Bayside	98" x 34 ½"	83 ½"(B) 75 ½"(F)	87"(B) 81 ½"(F)	109 ½" x 42"	36" x 71"	24 ½" x 27"	629 lbs
8x4 Bayside	98" x 46 ½"	83 ½"(B) 75 ½"(F)	92 ½"(B) 81 ½" (F)	109 ½" x 55"	36" x 71"	24 ½" x 27"	657 lbs
12x4 Bayside	144 ½" x 46 ½"	83 ½"(B) 75 ½"(F)	92 ½"(B) 81 ½" (F)	156" x 55"	36" x 71"	24 ½" x 27"	863 lbs
6x6 Playhouse	69" x 74"	67"	73"	83" x 87"	19" x 48"	16 ¼" x 16 ¼"	575 lbs
6x6 Gardener	69" x 74"	88"	99"	83" x 87"	30" x 71"	17 ¾" x 27"	798 lbs
6x9 Gardener	69" x 109"	88"	99"	83" x 122"	30" x 71"	17 ¾" x 27"	891 lbs
6x12 Gardener	69" x 143"	88"	99"	83" x 156 ½"	30" x 71"	17 ¾" x 27"	875 lbs
8x10 Gardener	93" x 120"	94"	105"	105" x 132"	36" x 71"	24 ½" x 27"	1221 lbs
8x12 Gardener	93" x 144 ½"	94"	105"	105" x 156"	36" x 71"	24 ½" x 27"	1338 lbs
8x16 Gardener	93" x 191"	94"	105"	105" x 202"	36" x 71"	24 ½" x 27"	1600 lbs
6x6 Rancher	69" x 74"	88"	99"	83" x 87"	60" x 71"	17 ¾" x 27"	816 lbs
6x9 Rancher	69" x 109"	88"	99"	83" x 122"	60" x 71"	17 ¾" x 27"	980 lbs
6x12 Rancher	69" x 143"	88"	99"	83" x 156"	60" x 71"	17 ¾" x 27"	1176 lbs
8x10 Rancher	93" x 120"	94"	105"	105" x 132"	60" x 71"	24 ½" x 27"	1218 lbs
8x12 Rancher	93" x 144 ½"	94"	105"	105" x 156"	60" x 71"	24 ½" x 27"	1450 lbs
8x16 Rancher	93" x 191"	94"	105"	105" x 202"	60" x 71"	24 ½" x 27"	1746 lbs
10x10 Rancher	115 ½" x 120 ½"	100"	112"	128 ½" x 132"	60" x 71"	24 ½" x 27"	1402 lbs
10x12 Rancher	115 ½" x 144 ½"	100"	112"	128 ½" x 156"	60" x 71"	24 ½" x 27"	1592 lbs
10x16 Rancher	115 ½" x 191"	100"	112"	128 ½" x 202"	60" x 71"	24 ½" x 27"	1904 lbs
10x20 Rancher	115 ½" x 237 ½"	100"	112"	128 ½" x 248 ½"	60" x 71"	24 ½" x 27"	2419 lbs
9x6 Cabana	109" x 69"	88"	99"	122" x 83"	30" x 71"	17 ¾" x 27"	1007 lbs
10x8 Cabana	120" x 93"	94"	105"	132" x 105"	36" x 71"	24 ½" x 27"	1386 lbs
12x8 Cabana	144 ½" x 93"	94"	105"	156" x 105"	36" x 71"	24 ½" x 27"	1518 lbs
9x6 Haida	108 ½" x 69"	88"	99"	122" x 83"	30" x 71"	T14 ¼" B27 ¾" x 28 ½"	750 lbs
12x8 Haida	144 ½" x 93"	94"	105"	156" x 105"	36" x 71"	T14 ¼" B27 ¾" x 28 ½"	1335 lbs
12x10 Haida	144 ½" x 115 ½"	100"	112"	156" x 128 ½"	36" x 71"	T14 ¼" B27 ¾" x 28 ½"	1800 lbs



# WESTERN RED CEDAR GAZEBOS & SHEDS

cedarshed.com EASY-TO-ASSEMBLE DO-IT-YOURSELF KITS

**CS Manufacturing Inc.**  
PO BOX 1019  
Vernon, BC Canada  
V1T 6N2 Canada

Toll Free: 1-800-830-8033 Telephone: 604-881-2855 Facsimile: 604-881-0273 Email: sales@cedarshed.com

Shed Model	Floor Size	Inside Height	Outside Height	OutsideSizeWxD	Door Opening	Window Opening	Weight
12x6 LongHouse	143" x 69"	88"	99"	156" x 83"	60" x 71"	17 3/4" x 27"	1216 lbs
12x8 LongHouse	144 1/2' x 93"	94"	105"	156" x 105"	60" x 71"	24 1/2" x 27"	1446 lbs
16x8 LongHouse	191" x 93"	94"	105"	202" x 105"	60" x 71"	24 1/2" x 27"	1550 lbs
12x10 LongHouse	144 1/2" x 115 1/2"	100"	112"	156" x 128 1/2"	60" x 71"	24 1/2" x 27"	1660 lbs
16x10 LongHouse	191" x 115 1/2"	100"	112"	202" x 128 1/2"	60" x 71"	24 1/2" x 27"	1945 lbs
6x6 HobbyHouse	69" x 74"	88"	99"	83" x 87"	30" x 71"	17 3/4" x 27"	798 lbs
9x6 HobbyHouse	69" x 108 1/2"	88"	99"	122" x 83"	30" x 71"	17 3/4" x 27"	950 lbs
10x8 HobbyHouse	120" x 93"	94"	105"	132" x 105"	36" x 71"	24 1/2" x 27"	1200 lbs
12x8 HobbyHouse	144 1/2" x 93"	94"	105"	156" x 105"	36" x 71"	24 1/2" x 27"	1450 lbs
12x10 HobbyHouse	144 1/2" x 115 1/2"	100"	112"	156" x 128 1/2"	36" x 71"	24 1/2" x 27"	1650 lbs
6x12 BoatHouse	69" x 143"	88"	99"	83" x 156"	30" & 60" x 71"	17 3/4" x 27"	1280 lbs
8x12 BoatHouse	93" x 144 1/2"	94"	105"	105" x 156"	36" & 60" x 71"	24 1/2" x 27"	1483 lbs
8x16 BoatHouse	93" x 191"	94"	105"	105" x 202"	36" & 60" x 71"	24 1/2" x 27"	1550 lbs
10x12 BoatHouse	115 1/2" x 144 1/2"	100"	112"	128 1/2" x 156"	36" & 60" x 71"	24 1/2" x 27"	1650 lbs
10x16 BoatHouse	115 1/2" x 191"	100"	112"	128 1/2" x 202"	36" & 60" x 71"	24 1/2" x 27"	2167 lbs
9x6 BeachHouse	69" x 108 1/2"	88"	99"	122" x 83"	30" x 71"	17 3/4" x 27"	750 lbs
12x8 BeachHouse	144 1/2" x 93"	94"	105"	156" x 105"	36" x 71"	31 1/2" x 27"	1450 lbs
6x9 Gardeners Delight	69" x 108 1/2"	88"	99"	83" x 122"	30" x 71"	31 1/2" x 27"	965 lbs
6x12 Gardeners Delight	69" x 143"	88"	99"	83" x 156 1/2"	30" x 71"	31 1/2" x 27"	1177 lbs
8x12 ClubHouse	93" x 144 1/2"	94"	105"	105" x 156"	36" x 71"	31 1/2" x 27", 34 1/4" x 39"	1400 lbs
8x16 ClubHouse	93" x 191"	94"	105"	105" x 202"	36" x 71"	31 1/2" x 27", 34 1/4" x 39"	1769 lbs
10x12 ClubHouse	115 1/2" x 144 1/2"	100"	112"	128 1/2" x 156"	36" x 71"	31 1/2" x 27", 34 1/4" x 26 1/2"	1650 lbs
10x14 ClubHouse	115 1/2" x 167"	100"	112"	128 1/2" x 179"	36" x 71"	31 1/2" x 27", 34 1/4" x 26 1/2"	2010 lbs
10x16 ClubHouse	115 1/2" x 191"	100"	112"	128 1/2" x 202"	36" x 71"	31 1/2" x 27", 34 1/4" x 26 1/2"	2376 lbs
10x20 ClubHouse	115 1/2" x 237 1/2"	100"	112"	128 1/2" x 248 1/2"	36" x 71"	31 1/2" x 27", 34 1/4" x 26 1/2"	2150 lbs
8x8 SunHouse	93" x 98"	94"	105"	105" x 109 1/2"	36" x 71"	31 1/2" x 27"	1040 lbs
8x12 SunHouse	93" x 144 1/2"	94"	105"	105" x 156"	36" x 71"	31 1/2" x 27"	1222 lbs
8x16 SunHouse	93" x 191"	94"	105"	105" x 192 1/2"	36" x 71"	31 1/2" x 27"	1540 lbs
12x12 SunHouse	139 1/2" x 144 1/2"	94"	105"	151 1/2" x 146"	36" x 71"	31 1/2" x 27"	1726 lbs



# WESTERN RED CEDAR GAZEBOS & SHEDS

cedarshed.com EASY-TO-ASSEMBLE DO-IT-YOURSELF KITS

**CS Manufacturing Inc.**  
PO BOX 1019  
Vernon, BC Canada  
V1T 6N2 Canada

Toll Free: 1-800-830-8033 Telephone: 604-881-2855 Facsimile: 604-881-0273 Email: sales@cedarshed.com

Shed Model	Floor Size	Inside Height	Outside Height	OutsideSizeWxD	Door Opening	Window Opening	Weight
10x8 CedarHouse	115 1/2" x 93"	100"	112"	128 1/2" x 110"	36" x 71"	17 3/4" x 27"	1400 lbs
10x10 CedarHouse	115 1/2" x 120 1/2"	100"	112"	128 1/2" x 132"	36" x 71"	17 3/4" x 27"	1453 lbs
10x12 CedarHouse	115 1/2" x 144 1/2"	100"	112"	128 1/2" x 156"	36" x 71"	17 3/4" x 27"	1250 lbs
10x16 CedarHouse	115 1/2" x 191"	100"	112"	128 1/2" x 202"	36" x 71"	17 3/4" x 27"	2013 lbs
10x20 CedarHouse	115 1/2" x 237 1/2"	100"	112"	128 1/2" x 248 1/2"	36" x 71"	17 3/4" x 27"	2355 lbs
9x6 StudioShed	69" x 108 1/2"	75 1/2"(B) 91"(F)	81 1/2"(B) 100"(F)	120" x 83"	30" x 71"	17 3/4" x 27"	991 lbs
12x6 StudioShed	143" x 69"	75 1/2"(B) 91"(F)	81 1/2"(B) 100"(F)	166 1/2" x 83"	30" x 71"	17 3/4" x 27"	850 lbs
6x10 BunkHouse	74" x 115 1/2"	100"	112"	87 1/2" x 129 1/2"	30" x 71"	17 3/4" x 27"	1222 lbs
9x10 BunkHouse	108 1/2" x 115 1/2"	100"	112"	122 1/2" x 129 1/2"	30" x 71"	17 3/4" x 27"	1520 lbs
12x12 BunkHouse	144 1/2" x 139 1/2"	106"	117"	156 1/2" x 153 1/2"	36" x 71"	24 1/2" x 27"	2090 lbs
12x14 BunkHouse	144 1/2" x 162"	112"	124"	156 1/2" x 176"	36" x 71"	24 1/2" x 27"	2225 lbs
12x10 CookHouse	144 1/2" x 115 1/2"	100"	112"	156 1/2" x 129 1/2"	30" x 71"	24 1/2" x 27"	1761 lbs
16x12 CookHouse	191" x 139 1/2"	106"	117"	203 1/2" x 153 1/2"	36" x 71"	4 1/2" x 27"	2570 lbs
16x14 CookHouse	191" x 162"	106"	117"	203 1/2" x 176"	36" x 71"	4 1/2" x 27"	2922 lbs
12x12 RanchHouse	143 1/8" x 139 1/2"	106"	117"	156 1/2" x 153 1/2"	60" x 71"	17 3/4" x 27"	2133 lbs
12x14 RanchHouse	143 1/8" x 162"	112"	124"	156 1/2" x 176"	60" x 71"	17 3/4" x 27"	2270 lbs
16x12 RanchHouse	191" x 139 1/2"	106"	117"	203 1/2" x 153 1/2"	60" x 71"	24 1/2" x 27"	2544 lbs
16x14 RanchHouse	191" x 162"	112"	124"	203 1/2" x 176"	60" x 71"	24 1/2" x 27"	2887 lbs
16x12 FarmHouse	191" x 139 1/2"	106"	117"	203 1/2" x 153 1/2"	60" x 71"	17 3/4" x 27"	2511 lbs
16x14 FarmHouse	191" x 162"	112"	124"	203 1/2" x 176"	60" x 71"	17 3/4" x 27"	2802 lbs
20x12 FarmHouse	237 1/2" x 139 1/2"	106"	117"	249 1/2" x 153 1/2"	60" x 71"	24 1/2" x 27"	2941 lbs
20x14 FarmHouse	237 1/2" x 162"	112"	124"	249 1/2" x 176"	60" x 71"	24 1/2" x 27"	3623 lbs
8ft Hexagon Gazebo	111 1/4" Diameter	108"	118"	135"	50" x 73"	-	1052 lbs
10ft Hexagon Gazebo	136 1/4" Diameter	114"	124"	154"	62 1/2" x 73"	-	1576 lbs
10ft Hexagon AS Gazebo	136 1/4" Diameter	114"	124"	154"	43" x 73"	44 7/8" x 44 7/8"	2200 lbs
12ft Octagon Gazebo	156 1/2" Diameter	118"	128"	178"	55 1/4" x 73"	-	1900 lbs
12ft Octagon AS Gazebo	156 1/2" Diameter	118"	128"	178"	43" x 73"	44 7/8" x 44 7/8"	2700 lbs
14ft Octagon Gazebo	181" Diameter	125"	135"	187"	64 9/16" x 73"	-	2300 lbs
10ft Square Gazebo	120" x 120"	108"	118"	138 1/2" x 122 1/4"	41 1/2" x 73"	-	1700 lbs
10ft Square AS Gazebo	119" x 119"	108"	118"	138 1/2" x 122 1/4"	41 1/2" x 73"	44 7/8" x 44 7/8"	2500 lbs
10ft x 12ft AS Gazebo	119" x 143"	108"	118"	138 1/2" x 162"	41 1/2" x 73"	44 7/8" x 44 7/8"	2850 lbs
10ft x 15ft AS Gazebo	119" x 146 1/2"	108"	118"	138 1/2" x 196"	41 1/2" x 73"	44 7/8" x 44 7/8"	3250 lbs



cedarshed.com

# WESTERN RED CEDAR GAZEBOS & SHEDS

EASY-TO-ASSEMBLE DO-IT-YOURSELF KITS

*CS Manufacturing Inc.*

*PO BOX 1019*

*Vernon, BC Canada*

*V1T 6N2 Canada*

---

Toll Free: 1-800-830-8033 Telephone: 604-881-2855 Facsimile: 604-881-0273 Email: [sales@cedarshed.com](mailto:sales@cedarshed.com)

## **What should I do before my Garden Shed or Gazebo arrives?**

Before you receive your garden shed, clear the construction area. Remove all debris; roots, grass, rocks, etc. Make sure the ground slopes away from the site at least 10 feet in all directions. If necessary, build up the soil in the center of the site and slope away for the high point to provide drainage. Fill in any low spots within the perimeter of the site. A slope of 1/8 inch per foot is enough to prevent water accumulation. We recommend excavating the site 4 inches deep and laying gravel or crushed rock where drainage may be a concern.

## **What type of foundation should I use?**

**Patio Stone Foundation:** If the ground is stable and has sufficient drainage, you can set patio stones directly on firm compacted soil. If not, lay on gravel or crushed rock.

Starting with one floor section, position stones around its perimeter and specific joists. (For details, see specific instruction manual) Use a 2x4 straight piece of lumber on edge and a carpenter's level to position correctly. Add or remove soil/sand under each stone until level. Complete remaining floor sections in the same manner. When all floor panels are level with each other, flip over, screw together and place back on level foundation.

**4x4 Pressure Treated Beam Foundation:** You can build directly on pressure-treated beams or railroad ties laid on a properly prepared construction site. Run beams perpendicular to floor joists. Use a 2x4 straight piece of lumber on edge and a carpenter's level to position correctly. To prevent the beams from shifting, secure them with 1/2 inch rebar inserted through holes drilled in the beams and driven 3 to 4 feet into the ground. Leave each side or end of the foundation open to promote drainage and air circulation beneath the floor.

**Concrete - Slab Foundation:** Typically a slab 3-4 inches thick laid over a sub base of 4 inches of gravel or crushed rock is sufficient but may vary depending on your geographic location. Using either mix your own concrete or having it delivered by truck, ready to pour, depends on how much time and effort you have to dedicate to the project. A slab for our 8x10 foot Rancher or a 10 foot gazebo both to a depth of 4 inches will require approximately 1 cubic yard of premixed concrete.

For more detailed information on how to pour your concrete-slab foundation or any other questions regarding Specifications, foundations and permits, please visit our website at [www.cedarshed.com](http://www.cedarshed.com) or call our Customer Support Line at **1-800-830-8033** to speak with a Cedarshed Product Representative.

*Please note that certain counties and municipalities require building permits prior to installation. Cedarshed recommends to all consumers that they check with their local county/municipality for these specifics since this is your sole responsibility.*